		•	
			11.0
	Application No.	Applicant(s)	H-6
Notice of Allowability	10/729,103	PETERSON, MARK	
	Examiner	Art Unit	
	Magda Cruz	2851	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT F of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED in 5) or other appropriate comm RIGHTS. This application is:	n this application. If not include unication will be mailed in due	ed course. THIS
1. \boxtimes This communication is responsive to <u>the RCE filed on 07/</u>	<u>/28/2005</u> .		
2. The allowed claim(s) is/are 1-12 and 14-26.	•	•	
3. The drawings filed on <u>05 December 2003</u> are accepted by	y the Examiner.		
4. Acknowledgment is made of a claim for foreign priority of a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have 1. International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDONI THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be subtracted in Normal Patent APPLICATION (PTO-152) which give 1. Corrected DRAWINGS (as "replacement sheets") must be considered in cluding changes required by the Notice of Draftsperion (b) including changes required by the attached Examiner Paper No./Mail Date	re been received. re been received in Application occuments have been received. re of this communication to file MENT of this application. mitted. Note the attached EXV res reason(s) why the oath of the submitted. reson's Patent Drawing Review. reson's Amendment / Comment of 1.84(c)) should be written on the second of the submitted.	on No d in this national stage applicate a reply complying with the recommendation is deficient. W (PTO-948) attached In the Office action of the drawings in the front (not the	quirements
 each sheet. Replacement sheet(s) should be labeled as such in DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT 	osit of BIOLOGICAL MATI	ERIAL must be submitted. I	Note the
	•		
Attachment(s) 1. Notice of References Cited (PTO-892)	5 □ Notice of In	formal Patent Application (PT0	Դ-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)		ummary (PTO-413),	- 10 <u>2)</u>
3. Information Disclosure Statements (PTO-1449 or PTO/SB/		/Mail Date Amendment/Comment	
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. ⊠ Examiner's	Statement of Reasons for Allo	wance
of Biological Material	9.		

Application/Control Number: 10/729,103 Page 2

Art Unit: 2851

DETAILED ACTION

Allowable Subject Matter

- 1. Claims 1-12 and 14-26 are allowed.
- 2. The following is an examiner's statement of reasons for allowance:
 - a. Regarding claim 1, the prior art or record neither shows nor suggests a plurality of reflective elements configured to angularly discriminate light without regard to polarity by reflecting light incident on the screen from a first angle toward the rear reflector, and to allow light incident on the screen from a second angle to be transmitted through the screen for display;
 - b. Regarding claim 12, the prior art or record neither shows nor suggests a plurality of reflective elements configured to reflect light incident on the screen from an upward direction toward the rear reflector and to transmit light incident on the screen from a downward direction between the reflective elements;
 - c. Regarding claim 16, the prior art or record neither shows nor suggests reflective elements with respect to a vertical plane of the screen such that incident light from the image source is first reflected from the reflective elements toward the rear reflective surface and then reflected from the rear reflective surface toward the screen for transmission between the reflective elements;
 - d. Regarding claim 20, the prior art or record neither shows nor suggests a plurality of lenses configured to direct light incident on the screen from a first angle onto the mirror array to be reflected toward the rear reflective surface, and

Art Unit: 2851

wherein the screen is configured to direct incident light from a second angle through the screen for display to a viewer;

e. Regarding claim 21, the prior art or record neither shows nor suggests light incident on the plurality of reflective elements from a first angle being reflected toward the rear reflective surface, and light incident on the plurality of reflective elements from a second angle being transmitted through the plurality of reflective elements.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Magda Cruz whose telephone number is (571) 272-2114. The examiner can normally be reached on Monday through Thursday 8:00-5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Judy Nguyen can be reached on (571) 272-2258. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/729,103 Page 4

Art Unit: 2851

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

William Perkey Primary Examiner

MBPerke